

PATIENT INFORMATION

| | |
|---------------|--------------|
| REPORT STATUS | Final |
|---------------|--------------|

Sonora Quest Laboratories, LLC
 CLIENT SERVICE 602.685.5000

ORDERING PHYSICIAN
GLADHART, GREGG R

SEX: M Fasting: N

CLIENT INFORMATION
 13392
 DIRECT TO PATIENT ARIZONA
 1255 W. WASHINGTON ST.
 TEMPE, AZ 85281

SPECIMEN INFORMATION

SPECIMEN: R33098831
 REQUISITION: 0001778
 LAB REF NO: 0001778

COLLECTED: 04/11/2014 09:11
 RECEIVED: 04/11/2014 12:51
 REPORTED: 04/15/2014 10:01

| Test Name | In Range | Out of Range | Reference Range | Lab |
|------------|----------|--------------|-----------------|-----|
| PSA, TOTAL | | 6.3 H | <4.1 ng/mL | |

Values obtained with different assay methods or kits cannot be used interchangeably. If this has occurred, re-baseline testing may be necessary. This test was performed using the Roche Elecsys method.

The age/race specific ranges below identify 95% of patients with disease as abnormal (1)(2)(3) (ie, 95% sensitivity). Increased sensitivity generally leads to a higher false positive rate.

| Age (yr) | Whites | Blacks ng of PSA/mL | Asians |
|----------|--------|------------------------|--------|
| 40-49 | <2.5 | <2.0 | <2.0 |
| 50-59 | <3.5 | <4.0 | <3.0 |
| 60-69 | <4.5 | <4.5 | <4.0 |
| 70-79 | <6.5 | <5.5 | <5.0 |

References:

- Oesterling JE, et al. JAMA 1993;270:860-4
- Morgan TO, et al. New Engl Med 1996;335:304-10
- Oesterling JE, et al. BR J Urol 1995;75:347-53

Performing Laboratory Information: